



# Richelieu's LED Nova

**Product #** 4511240413

**Length** 13 1/2 in

Watts 4 W

Luminous Flux 300 Lumen

#### **DESCRIPTION**

#### LED light in standard T5 housing

Richelieu's New Nova is an LED light encased in the standard T5 housing. No need to change your designs or reengineer your installations, simply upgrade from the standard T5 fluorescent to the NOVA!

#### **ADVANTAGES AND BENEFITS**

- Built-in constant-current drive - Linkable - On/off switch on each fixture

## REQUIRED PRODUCTS

Requires the following products

Sales unit



**LED Nova Power Cord** Product # 4511240070

Bag



#### **TECHNICAL SPECIFICATIONS**

	1-11010110
Product #	4511240413
Location	Under Cabinet
Application	Kitchen
Mounting	Surface
Luminaire	Rigid Linear
Control System	Touch
Operation	Touch
Lighting	Accent, Task
Finish	White
Light Color	Neutral White
Kelvin Color Temperature (K)	4000 K
Standards and Certifications	ETL
Style	Contemporary
Height	1 5/8 in
Width	7/8 in
Lighting Type	LED
Tension (V)	120 V
Group	LED Group B
Price Point	Elite
Features	With Integrated On/Off Switch

#### **APPLICATION**

Ideal for retail displays as well as residential and office applications.

# INCLUDED PRODUCT(S)

Includes one fixture, 4,100° K T5 housing, Plexiglas, hardware mounting kit (plastic clips and direct connector), and a convenient on/off switch located on the fixture.

#### IMPORTANT INFORMATION

- Mounting kit (included with each light) contains plastic clips, screws, and direct connector. LED in lamp fixture CANNOT be replaced.
- Do not exceed 100 W when mixing and matching sizes on one power cord.

### **DISCLAIMER**

Always connect the LED light to the power cord first, and then plug in the power cord to the mains. Failure to do so may cause damage to the existing diode.



# PRODUCT PHOTOS



