





18 25/32 in 24 17/32 in

36 11/32 in

48 15/64 in

Watts

6 W 8 W 14 W 18 W

**Luminous Flux** 

1235 Lumen | 401 Lumen | 609 Lumen | 997 Lumen

### **DESCRIPTION**

### Preset with 30 minute delay

Introducing Richelieu's Perno "L" III with all the same features and benefits as the Perno, but now in LED format and built-in Occupancy Sensor option  $\sim$  preset with 30 minute delay.

### **ADVANTAGES AND BENEFITS**

- Perno L silver finish will blend into most office shelving. - Convenient white on/off switch or occupancy sensor located on the fixture. - Magnet installation makes for quick and easy installation, no need to worry about additional installation bars for metal shelving. - Magnet installation accommodates all metal shelving also included are screws for wood shelf installation. - Aluminium body construction. - The 160° swivel feature of the Perno L Task Light allows the user to position the light where needed.

### **AVAILABLE PRODUCTS**

Product #	Length	Watts	Luminous Flux
94ELS0618100	18 25/32 in	6 W	401 Lumen
94ELS0824100	24 17/32 in	8 W	609 Lumen
94ELS1436100	36 11/32 in	14 W	997 Lumen
94ELS1848100	48 15/64 in	18 W	1235 Lumen



## **TECHNICAL SPECIFICATIONS**

Location	Under Cabinet	
Application	Kitchen, Living Room, Bedroom	
Mounting	Surface	
Luminaire	Rigid Linear	
Control System	PIR	
Operation	Motion Sensor	
Sensor Type	Movement	
Lighting	Task	
Finish	Silver	
Light Color	Neutral White	
Kelvin Color Temperature (K)	4100 K	
Standards and Certifications	ETL	
Style	Contemporary, Functional	
Height	1 3/32 in*	
Width	3.39 in	
Lighting Type	LED	
Tension (V)	120 V	
Group	LED Group Kits	
Price Point	Elite	
Connection Type	9 ft (2.74 m) Grounded Power Cable	
Kit	Complete Kit	
Features	Motion / Occupancy Sensor, With Integrated On/Off Switch	

### **Disclaimer**

Measures shown with an asterisk (\*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, <u>click here</u>.

### **APPLICATION**

Office

# **INCLUDED PRODUCT(S)**

Includes LED, 20" connecting cable, built-in on/off switch, Occupancy Sensor, 9' grounded power cord, magnet for metal shelf installation, and screw kit for wood shelf mounting.



# **IMPORTANT INFORMATION**

Max watts is 180W in line Setting option: #1 ON with no Sensor #2 OFF #3 ON with Sensor

## **DISCLAIMER**

No replacement tube available for this fixture, The LED light inside the unit cannot be replaced

# **PRODUCT PHOTOS**

