



Unite Series Three-Stage Electric Adjustable Base

Load Capacity

250 lb

350 lb

Motor

2

3

Number of Legs

2

3

Finish



Black



Silver



White

DESCRIPTION

System with two adjustable legs

- Richelieu's Unite electric adjustable table Legs utilize powder-coated steel construction and powerful DC motors with high lifting capacities.
- At 1 1/2 in (38.1 mm) per second, our lifting speed swiftly moves you from one position to another.
- The sophisticated programming in our control box creates the quality of movement you'd expect from a high-end product.
- Software ensures soft start/stop.
- Hall sensor measures speed and alignment.
- Temperature sensors protect circuitry and motors to ensure long life.

ADVANTAGES AND BENEFITS

PRECISE - Our handset provides 4 programmable positions along with an LED readout of desk height. No more searching for your favorite positions. **SPEEDY** - At 1.5 inches per second, our lifting speed swiftly moves you from one position to another. **SMART** - The sophisticated programming in our control box creates the quality of movement you'd expect from a high-end product. - Software ensures soft start/stop. - Hall sensor measures speed and alignment. - Temperature sensors protect circuitry and motors to assure long life. **STRONG** - We only use powder-coated steel construction and powerful DC motors with high lifting capacities.

AVAILABLE PRODUCTS

Product #	Load Capacity	Motor	Number of Legs	Finish
50078290	250 lb	2	2	Black
500782100	250 lb	2	2	Silver
50078230	250 lb	2	2	White
50078390	350 lb	3	3	Black
500783100	350 lb	3	3	Silver
50078330	350 lb	3	3	White

TECHNICAL SPECIFICATIONS

Height - Overall Dimensions	23.5 to 49 in
Width - Overall Dimensions	42.2 to 74 in
Depth - Overall Dimensions	23.7 in
Material	Steel
Top width recommended	42.2 to 74 in
Top depth recommended	24 to 30 in
Stages	3

IMPORTANT INFORMATION

****Tabletop is not included**** - Full height range: seated keyboard to full standing, 23 1/2 in (594.36 mm) to 49 in (1244.6 mm) - Foot size: 23 3/4 in (603 mm) x 2 3/4 in (69.85 mm) - 1 1/2 in (38.1 mm) per second - One powerful DC motor per leg - Adjustable leveling legs - LED programmable handset - Up and down anti-collision system

PRODUCT PHOTOS

